



## PROGRAMME<sup>1</sup> DETAILLE DU MASTERCLASS : MANAGEMENT MDT DU SYNDROME RADICULAIRE

### Jour 1:

9.00 – 10.30	Session 1 : Radiculopathie – Pathologie et Diagnostic
10.30 – 10.45	Pause
10.45 – 12.30	Session 2 : Diagnostic Différentiel, Dérangement ou RMNR (Radiculopathie Mécaniquement Non Répondante)
12.30 – 13.30	Déjeuner
13.30 – 15.30	Session 3 : Management du Syndrome Radiculaire lorsque la classification MDT est un Dérangement
15.30 – 15.45	Pause
15.45 – 17.00	Atelier Pratique

### Jour 2:

9.00 – 10.30	Session 4 : Management du Syndrome Radiculaire lorsque la classification MDT est une RMNR
10.30 – 10.45	Pause
10.45 – 12.30	Session 4 : la suite
12.30 – 13.30	Déjeuner
13.30 – 14.30	Session 5 : Diagnostic Différentiel
14.30 - 15.30	Session 6 : Chirurgie
15.30 – 15.45	Pause
15.45 – 17.00	Résumé et Conclusion

<sup>1</sup> Pour des raisons d'organisation liées à la venue de vrais patients, l'ordre et les horaires du programme ne peuvent être précisés.



## Bibliographie

### Section 1

AL NEZARI, N. H., SCHNEIDERS, A. G. & HENDRICK, P. A. 2013. Neurological examination of the peripheral nervous system to diagnose lumbar spinal disc herniation with suspected radiculopathy: a systematic review and meta-analysis. *Spine J*, 13, 657-74.

ALBERT H. et al 2011, Centralization in patients with sciatica: are pain responses to repeated movement and positioning associated with outcome or types of disc lesions? *Eur Spine Journal*

ALBECK, M. J. 1996. A critical assessment of clinical diagnosis of disc herniation in patients with monoradicular sciatica. *Acta Neurochir (Wien)*, 138, 40-4.

BASELGIA, L. et al. 2017. Negative neurodynamic tests do not predict neural dysfunction in patients with entrapment neuropathies. *Archives of Physical Medicine and Rehabilitation* 98: 480-6

BERTILSON, B. C., BROSJO, E., BILLING, H. & STRENDER, L. E. 2010. Assessment of nerve involvement in the lumbar spine: agreement between magnetic resonance imaging, physical examination and pain drawing findings. *BMC Musculoskelet Disorders*, 11, 202.

D BROETZ et al 08, Lumbar disk prolapse: Response to mechanical physiotherapy in the absence of changes in magnetic resonance imaging. Report of 11 cases. *Neurorehab.* 23, 289-294

CHARNLEY, J. 1951. Orthopaedic signs in the diagnosis of disc protrusion. With special reference to the straight-leg-raising test. *Lancet*, 1, 186-92.

COMPSTON, A. 2010. Aids to the investigation of peripheral nerve injuries. Medical Research Council: Nerve Injuries Research Committee. His Majesty's Stationery Office: 1942; pp. 48 (iii) and 74 figures and 7 diagrams; with aids to the examination of the peripheral nervous system. By Michael O'Brien for the Guarantors of Brain. Saunders Elsevier: 2010; pp. [8] 64 and 94 Figures. *Brain*, 133, 2838-44.

COOK, C. 2007. *Orthopedic Manual Therapy: An evidence based approach*, New Jersey: Pearson/Prentice Hall.



EL BARZOUHI, A. 2014. Influence of Low Back Pain and Prognostic Value of MRI in Sciatica Patients in Relation to Back Pain. *PLOS*, 9.3

FOERSTER 1911. Resection of the Posterior Spinal Nerve-roots in the Treatment of Gastric Crises and Spastic Paralysis. *Proc R Soc Med*, 4, 226-46.

FORST, J. 1881. Contributions à l'étude clinique de la sciatique. Thèse pour le doctorat en médecine.

GHAHREMAN, A., 2010. The Efficacy of Transforaminal Injection of Steroids for the Treatment of Lumbar Radicular Pain. *Pain Medicine* 908 1149..116

HAKELIUS, A. & HINDMARSH, J. 1972. The significance of neurological signs and myelographic findings in the diagnosis of lumbar root compression. *Acta Orthop Scand*, 43, 239-46.

HEAD, H., CAMPBELL, A. W. & KENNEDY, P. G. 1997. The pathology of Herpes Zoster and its bearing on sensory localisation. *Rev Med Virol*, 7, 131-143.

HG WIESER, C. P., G. COSTABILE 1975. Das gekreuzte Lasègue'sche Zeichen. *Schweiz Arch Neurol Neurochir Psychiatr*, 116:315.

HUDGINS, W. R. 1979. The crossed straight leg raising test: a diagnostic sign of herniated disc. *J Occup Med*, 21, 407-8.

HUMPHREYS, S. C. & ECK, J. C. 1999. Clinical evaluation and treatment options for herniated lumbar disc. *Am Fam Physician*, 59, 575-82, 587-8.

INOUYE, Y. & BUCHTHAL, F. 1977. Segmental sensory innervation determined by potentials recorded from cervical spinal nerves. *Brain*, 100, 731-48.

JONSSON, B. & STROMQVIST, B. 1993. Symptoms and signs in degeneration of the lumbar spine. A prospective, consecutive study of 300 operated patients. *J Bone Joint Surg Br*, 75, 381-5.

KEEGAN, J. J. & GARRETT, F. D. 1948. The segmental distribution of the cutaneous nerves in the limbs of man. *Anat Rec*, 102, 409-37.



KERR, R. S., CADOUX-HUDSON, T. A. & ADAMS, C. B. 1988. The value of accurate clinical assessment in the surgical management of the lumbar disc protrusion. *J Neurol Neurosurg Psychiatry*, 51, 169-73.

KNUTSSON, B. 1959. Electromyographic studies in the diagnosis of lumbar disc herniations. *Acta Orthop Scand*, 28, 290-9.

KNUTSSON, B. 1961. Comparative value of electromyographic, myelographic and clinical-neurological examinations in diagnosis of lumbar root compression syndrome. *Acta Orthop Scand Suppl*, 49, 1-135.

KOES, B., van TULDER, M., PEUL, W., 2007. Diagnosis and treatment of sciatica, *BMJ* 334,1317-1319.

KONSTANTINOOU, K., 2009, The Impact of Low Back-related Leg Pain on Outcomes as Compared With Low Back Pain Alone A Systematic Review of the Literature, *Clin. J. of Pain*, 29, 644-651

KORTELAJAINEN, P., PURANEN, J., KOIVISTO, E. & LAHDE, S. 1985. Symptoms and signs of sciatica and their relation to the localization of the lumbar disc herniation. *Spine (Phila Pa 1976)*, 10, 88-92.

KOSTELJANETZ, M., BANG, F. & SCHMIDT-OLSEN, S. 1988. The clinical significance of straight-leg raising (Lasegue's sign) in the diagnosis of prolapsed lumbar disc. Interobserver variation and correlation with surgical finding. *Spine (Phila Pa 1976)*, 13, 393-5.

LEE, M. W., MCPHEE, R. W. & STRINGER, M. D. 2008. An evidence-based approach to human dermatomes. *Clin Anat*, 21, 363-73.

LIN, C. et al, 2014. How is radiating leg pain defined in randomized controlled trials of conservative treatments in primary care? A systematic review. *European journal of pain*.

MANSCHOT, S., VAN PASSEL, L., BUSKENS, E., ALGRA, A. & VAN GIJN, J. 1998. Mayo and NINDS scales for assessment of tendon reflexes: between observer agreement and implications for communication. *J Neurol Neurosurg Psychiatry*, 64, 253-5.



MCKENZIE, R. A. & MAY, S. 2003. *The Lumbar Spine: Mechanical Diagnosis & Therapy, Volume I*, Orthopedic Physical Therapy Products.

NASS GUIDELINE 2012. Clinical guideline for diagnosis and treatment of lumbar disc herniation with radiculopathy

NEE, R. J., JULL, G. A., VICENZINO, B. & COPPIETERS, M. W. 2012. The validity of upper-limb neurodynamic tests for detecting peripheral neuropathic pain. *J Orthop Sports Phys Ther*, 42, 413-24.

NITTA, H., TAJIMA, T., SUGIYAMA, H. & MORIYAMA, A. 1993. Study on dermatomes by means of selective lumbar spinal nerve block. *Spine (Phila Pa 1976)*, 18, 1782-6.

RUBINSTEIN, S., 2011. Spinal manipulative therapy for chronic low-back pain (Review). *Cochrane Collaboration*

SHAHBANDAR, L. 2005. Diagnosis and Nonoperative Management of Lumbar Disk Herniation. *Operative Techniques in Sports Medicine* 13, 114 - 121

SHERRINGTON, C. 1898. Experiments in examination of the peripheral distribution of the fibres of the posterior roots of some spinal nerves II. *Philosophical Transactions of the Royal Society of London, Series B*, 145-186.

SPANGFORT, E. V. 1972. The lumbar disc herniation. A computer-aided analysis of 2,504 operations. *Acta Orthop Scand Suppl*, 142, 1-95.

SURI, P., RAINVILLE, J., KATZ, J. N., JOUVE, C., HARTIGAN, C., LIMKE, J., PENA, E., LI, L., SWAIM, B. & HUNTER, D. J. 2011. The accuracy of the physical examination for the diagnosis of mid-lumbar and low lumbar nerve root impingement. *Spine (Phila Pa 1976)*, 36, 63-73.

TAWA, T. et al. 2017. Accuracy of clinical neurological examination in diagnosing lumbo-sacral radiculopathy: a systematic literature review. *BMC* 18.73

THOOMES, E. 2012, Lack of uniform diagnostic criteria for cervical radiculopathy in conservative intervention studies: a systematic review, *European Spine Journal*



van der WINDT et al., 2010, Physical examination for lumbar radiculopathy due to disc herniation in patients with low-back pain (Review), *Cochrane Collaboration*.

van HELVOIRT, H. et al, 2014, Transforaminal Epidural Steroid Injections Followed by Mechanical Diagnosis and Therapy to Prevent Surgery for Lumbar Disc Herniation, *Pain Medicine*.

van HELVOIRT, H. et al, 2016, Transforaminal epidural steroid injections influence Mechanical Diagnosis and Therapy (MDT) pain response classification in candidates for lumbar herniated disc surgery. *Back & Musculoskeletal Rehabilitation*, 29, 351-359

VROOMEN, P. C., DE KROM, M. C., WILMINK, J. T., KESTER, A. D. & KNOTTNERUS, J. A. 2002. Diagnostic value of history and physical examination in patients suspected of lumbosacral nerve root compression. *J Neurol Neurosurg Psychiatry*, 72, 630-4.

WEISE, M. D., GARFIN, S. R., GELBERMAN, R. H., KATZ, M. M. & THORNE, R. P. 1985. Lower-extremity sensibility testing in patients with herniated lumbar intervertebral discs. *J Bone Joint Surg Am*, 67, 1219-24.

## **Section 4**

ALBERT H. et al 2012, The Efficacy of Systematic Active Conservative Treatment for Patients With Severe Sciatica, *Spine* 37,7, 531-542

DESAI, M. 2012. Directional Preference Following Epidural Steroid Injection in Three Patients with Acute Cervical Radiculopathy. *Pain Practice*

FERNANDEZ, M, et al. 2016. Surgery or physical activity in the management of sciatica: a systematic review and meta-analysis. *ESJ* 25:3495-3512

GHAHREMAN, A., 2010. The Efficacy of Transforaminal Injection of Steroids for the Treatment of Lumbar Radicular Pain. *Pain Medicine* 908 1149..116

KEY, S. 2013 Healing of painful intervertebral discs: implications for physiotherapy. *Physical Therapy Reviews* 18.1



LIMBÄCK SVENSSON, G., et al. 2014. A structured physiotherapy treatment model can provide rapid relief to patients who qualify for lumbar disc surgery. A prospective cohort study. *J Rehabil. Med.* 44:233-240

LIMBÄCK SVENSSON, G., et al., 2013. Patients' experience of health three years after structured physiotherapy or surgery for lumbar disc herniation. *J. Rehabil. Med.* 45:293-298

LIMBÄCK SVENSSON, G., et al., 2011. High degree of kinesiophobia after lumbar disc herniation surgery A cross-sectional study of 84 patients. *Acta Orthopædica* 86(6)732-736

LURIE, J. 2013. Surgical Versus Nonoperative Treatment for Lumbar Disc Herniation. *Spine* 391.3-16

MATHIESON, S., 2017. Trial of Pregabalin for Acute and Chronic Sciatica. *NEMJ* 376.12

MACHADO, G., 2017. Non-steroidal anti-inflammatory drugs for spinal pain: a systematic review and meta-analysis. *Ann Rheum* 0.1-10

MANCHIKANTI, L, et al, 2016. Epidural Injections for Lumbar Radiculopathy and Spinal Stenosis: A Comparative Systematic Review and Meta-Analysis. *Pain Physician* 25:3495-3512

MURPHY, D., 2009. Non surgical approach to the management of patients with lumbar radiculopathy secondary to herniated disk; a prospective cohort study with follow up. *JMPT*

NASS GUIDELINE 2012. Clinical guideline for diagnosis and treatment of lumbar disc herniation with radiculopathy

PEUL, W., et al., 2007. Surgery versus Prolonged Conservative Treatment for Sciatica, *NEMJ* 356.22

SCHENK. R. 2008. Inclusion of Mechanical Diagnosis and Therapy (MDT) in the Management of Cervical Radiculopathy: A Case Report. *JMMT* 16.1



van HELVOIRT, H. et al, 2014, Transforaminal Epidural Steroid Injections Followed by Mechanical Diagnosis and Therapy to Prevent Surgery for Lumbar Disc Herniation, *Pain Medicine*.

van HELVOIRT, H. et al, 2016, Transforaminal epidural steroid injections influence Mechanical Diagnosis and Therapy (MDT) pain response classification in candidates for lumbar herniated disc surgery. *Back & Musculoskeletal Rehabilitation*, 29, 351-359.

WILKE, A., et al., 2000. Thoracic disc herniation: a diagnostic challenge. *Manual Therapy* 5(3) 181-184.

ZHONG, M., 2017. Incidence of Spontaneous Resorption of Lumbar Disc Herniation: A Meta-Analysis. *Pain Physician* 20: E45-E52

## Section 5

### **Facteurs de pronostic :**

BONO et al., 2011. *An evidence-based guideline for the diagnosis and treatment of cervical radiculopathy from degenerative disorders. Spine J*, 11: 64-72.

CASEY E ,2011\_Natural History of radiculopathy. *Phys Med Rehab Clin N Am*: 22(1) 1-5.

CHUN – CHIEH C, et al. 2015 The probability of spontaneous regression of lumbar herniated disc: a systematic review. *Clinical Rehabilitation: Vol. 29(2) 184– 195*.

GIJSBERT et al. 2014. Recovery of motor deficit accompanying sciatica. *The Spine Journal*: 14 1817-1824.

HERBERT et al, 2015. Predictors of clinical outcome following lumbar disc surgery: the value of historical, physical examination and muscle function variables. *Eur Spine* , DOI 10. 1007/s00586-015-3916z

KREINER et al. 2014. An evidence –based clinical guideline for the diagnosis and treatment of lumbar disc herniation with radiculopathy. *Spine J*:14, 180-91.

LEVIN J. et al, 2007. Radiculopathy from herniation of the nucleus pulposus: Natural History. *Journal of Back and Musculoskeletal Rehabilitation*: 20 (2,3), 97-101.





MODIC et al, 2005. Acute low back pain and radiculopathy: MRI imaging findings and their prognostic role and effect on outcome. *Radiology*: 237(2), 597-60.

WONG et al. 2014 The course and prognostic factors of symptomatic cervical disc herniation with radiculopathy: A systematic review of the literature. *Spine J*, 14: 1781- 9.

## Le suivi Post opératoire :

MACHADO G et al 2016 Patients with sciatica still experience pain and disability 5 years after surgery: A systematic review with meta-analysis of cohort studies. *European Journal of Pain*. doi:10.1002/ejp.893

KREINER et al. 2014. An evidence –based clinical guideline for the diagnosis and treatment of lumbar disc herniation with radiculopathy. *Spine J*;14,180-91.

WEINSTEIN et al. 2006, 2008 Surgical v non operative treatment for lumbar disc herniation – a randomized trial (and 4 year follow up). *J Am Med Assoc*. 296, 2441-50 and 33, 2789-800.

FERNANDEZ F. et al, 2016. Surgery or physical activity in the management of sciatica: a systematic review and meta-analysis. *Eur Spine J* 25:3495–3512.

WILLIAMSONJ, et al, 2008 What do patients feel they can do following lumbar microdiscectomy? A qualitative study. *Disability and Rehabilitation*, 1 – 7.

## Rééducation suite à une chirurgie discale lombaire :

OSTELO et al. 2004. Cochrane Database of Systematic reviews Issue 2.

OSTELO et al. 2008 Cochrane Database of Systematic reviews Issue 2.

OSTELO et al. 2009 An update Cochrane Review *Spine*; 34(17): 1839-48

OOSTERHIUS T, et al 2014. Rehabilitation after lumbar disc surgery. Cochrane Database of Systematic reviews 2014, Issue 3.



# INSTITUT McKENZIE France

20 rue Toulouse Lautrec, 31700 Blagnac  
CENTRE DE FORMATION POST-UNIVERSITAIRE EN THERAPIE VERTEBRALE MECANIQUE

OOSTERHIUS T, et al 2017. Early Rehabilitation after Lumbar Disc surgery is not effective or cost effective compared to no referral – a randomised trial and economic evaluation *JPHYS*. [http:// dxdoi.org /10.1016 /j.jphys 2017,05.016](http://dxdoi.org/10.1016/j.jphys.2017.05.016)

SNOWDEN M, PEIRIS CL.2015 Physiotherapy commenced within the first four weeks post spinal surgery is safe and effective: a systematic review and meta-analysis. *Archives of Physical Medicine and Rehabilitation Sept; 23:*